

## AGREE II

### 2 valutatori -punteggi min e max ottenibili

	Area 1	Area 2	Area 3	Area 4	Area 5	Area 6
<b>min</b>	6	6	16	6	8	4
<b>max</b>	42	42	112	42	56	28

	Area 1 Obiettivi e ambiti di applicazione	Area 2 Coivolgimento degli stakeholders	Area 3 Rigore metodologico	Area 4 Chiarezza espositiva	Area 5 Applicabilità	Area 6 Indipendenza editoriale	QUALITA'	Metodo di grading
--	---	--	----------------------------------	-----------------------------------	-------------------------	--------------------------------------	----------	-------------------

08. SOGC 383-Screening, Diagnosis, Management 2019	100%	67%	89%	100%	46%	100%	ALTA	Canadian Task Force on Preventive Health Care
12. SOGC No. 231-Guidelines for the Management of Vasa Previa 2017	100%	64%	91%	100%	42%	100%	ALTA	Canadian Task Force on Preventive Health Care
13. RCOG Vasa Praevia Diagnosis Management Green-top Guideline 27b 2018	100%	86%	94%	97%	63%	100%	ALTA	RCOG-SIGN
14. RCOG Placenta Praevia Placenta Accreta- DiagnManagGreen-top Guideline 2018	100%	94%	98%	97%	56%	92%	ALTA	RCOG-SIGN
19-20. KCE_248Cs Assessments and test during pregnancy 2015	100%	86%	100%	100%	94%	79%	ALTA	GRADE
22. LG francesi 2015 Fetal Growth Restriction GL clin_pract_French College Gyn Obst	78%	89%	62%	31%	13%	46%	MODERATA	HAS
23. Ireland -Guidelines fetal-growth-restriction	100%	61%	55%	89%	33%	67%	MODERATA	RCP IRELAND
24. Canadian Task Force Preventive Health care - Intrauterine Growth Restriction Screening, Diagnosis, Management, 2013	100%	64%	90%	89%	50%	92%	ALTA	GRADE
25. Australia Pregnancy care guidelines 2019	100%	100%	98%	100%	79%	67%	ALTA	GRADE Australia NHMRC

Qualità complessiva di una Linea Guida (adattato da: Johnston A, Kelly SE, Hsieh SC, Skidmore B, Wells GA. Systematic reviews of clinical practice guidelines: a methodological guide. *Journal of Clinical Epidemiology* 2019;108:64-76)

Qualità ALTA: >=60% in almeno 3 domini AGREE II, incluso il dominio 3.

Qualità MODERATA: >=60% in almeno 3 domini eccetto il dominio 3

Qualità BASSA: <60% in due o più domini e <50% nel dominio 3.

26. NICE antenatal-care-for-uncomplicated-pregnancies 2019	100%	89%	96%	100%	83%	100%	ALTA	GRADE
29. RANZCOG Prenatal assessment of fetal structural conditions 2018	100%	94%	84%	89%	33%	88%	ALTA	NHMRC
31. RCOG 2014_SGA	100%	89%	94%	92%	54%	92%	ALTA	RCOG-SIGN
32. WHO recommendations on antenatal care for a positive pregnancy experience.	100%	100%	100%	100%	79%	100%	ALTA	GRADE
37. RCOG/ BSGE Management of Endometrial Hyperplasia. Green-top Guideline No. 67. 2016	100%	81%	94%	97%	54%	100%	ALTA	RCOG-SIGN
47. BGCS-Guidelines-Ovarian-Guidelines-2017	100%	89%	96%	97%	50%	100%	ALTA	RCOG-SIGN
53. NICE Ectopic pregnancy miscarriage diagnosis initial management 2019	100%	83%	92%	100%	54%	100%	ALTA	GRADE
54. NICE Twin and triplet pregnancy 2019	100%	89%	96%	92%	87%	83%	ALTA	GRADE
56. RANZCOG Management of monochorionic twin pregnancy 2017	100%	94%	82%	89%	38%	88%	ALTA	GRADE Australia NHMRC
57. RCOG Monochorionic Twin Pregnancy, Management (Green-top Guideline No. 51) 2016	100%	89%	92%	92%	48%	100%	ALTA	RCOG-SIGN
60. SOGC No. 260-Ultrasound in Twin Pregnancies 2017	100%	56%	84%	94%	33%	100%	ALTA	Canadian Task Force on Preventive Health Care
63. AHRQ US Screening Ovarian Cancer Updated Evidence 2018	100%	86%	94%	100%	67%	100%	ALTA	GRADE
64. SIGN 135 • Management of epithelial ovarian cancer, 2018	100%	89%	96%	94%	85%	100%	ALTA	SIGN
67. Cancer Australia POSITION STATEMENT Testing for ovarian cancer on asymptomatic women 2019	100%	83%	92%	100%	50%	67%	ALTA	Cancer Australia
70. SOGC Cervicometria 2019	100%	47%	77%	61%	52%	100%	ALTA	Canadian Task Force on Preventive Health Care
73. RANZCOG Measurement of cervical length for 2017	100%	83%	82%	94%	33%	96%	ALTA	GRADE Australia NHMRC
74. Australia Evidence evaluation report —Cervical length_2018	100%	86%	75%	94%	46%	92%	ALTA	Australia NHMRC GRADE
76. ISUOG Practice Guidelines role of ultrasound in twin pregnancy 2016	94%	58%	66%	75%	38%	50%	MODERATA	ISUOG

**Qualità complessiva di una Linea Guida** (adattato da: Johnston A, Kelly SE, Hsieh SC, Skidmore B, Wells GA. Systematic reviews of clinical practice guidelines: a methodological guide. *Journal of Clinical Epidemiology* 2019;108:64-76)

**Qualità ALTA:** >=60% in almeno 3 domini AGREE II, incluso il dominio 3.

**Qualità MODERATA:** >=60% in almeno 3 domini eccetto il dominio 3

**Qualità BASSA:** <60% in due o più domini e <50% nel dominio 3.

78. NICE Preterm labour and birth 2019	100%	89%	83%	100%	54%	92%	ALTA	GRADE
81. SMFM Consult # 40 2016	100%	44%	36%	94%	13%	96%	BASSA	SMFM
94. ACR Acute Pelvic Pain in the Reproductive Age Group 2015	94%	47%	38%	72%	42%	67%	BASSA	ACR
95. NICE Endometriosis diagnosis and management 2017	100%	83%	83%	94%	58%	83%	ALTA	GRADE
97. NICE Heavy menstrual bleeding 2018	100%	89%	83%	94%	50%	83%	ALTA	GRADE
100. RCOG The Management of Ovarian Cysts in Postmenopausal Women 2016	100%	64%	90%	94%	52%	92%	ALTA	RCOG-SIGN
102. ISUOG Practice Guidelines performance of first-trimester 2013	78%	42%	29%	42%	21%	33%	BASSA	ISUOG
110. SOGC No. 348-Joint SOGC-CCMG GL Update_Prenatal Screening Fetal Aneuploidy Anomalies 2017	100%	56%	80%	100%	21%	100%	ALTA	Canadian Task Force on Preventive Health Care
114. RANZOG Prenatal screening 2018	100%	89%	70%	94%	25%	96%	ALTA	GRADE Australia NHMRC
116. SOGC Guideline No. 401 Sonographic Cervical Length in singleton pregnancies 2020	100%	61%	80%	100%	50%	67%	ALTA	Canadian Task Force on Preventive Health Care
117 RCOG Assisted Vaginal Birth RCOG 2020	100%	83%	94%	97%	56%	100%	ALTA	RCOG-SIGN
120. SOGC Guideline No. 398 Progesterone for Prevention of Spontaneous Preterm Birth 2020	100%	61%	86%	100%	38%	92%	ALTA	GRADE
122. NICE Hypertension-pregnancy-diagnosis-management 2019	100%	94%	97%	97%	92%	100%	ALTA	GRADE
128. ISUOG Practice Guidelines intrapartum ultrasound 2018	81%	42%	68%	42%	12%	33%	MODERATA	ISUOG
129. RCOG Practice Bulletin No 52 Postpartum-Hemorrhage-2016	100%	58%	92%	94%	52%	83%	ALTA	RCOG-SIGN
134. SOGC No. 214-Guidelines for the Management of Pregnancy at 41+0 to 42+0 Weeks 2017	94%	72%	88%	97%	42%	100%	ALTA	Canadian Task Force on Preventive Health Care
138. ACOG Practice Bull 146. Management Late-Term Post-term Pregnancy 2014	72%	42%	46%	78%	44%	58%	BASSA	U.S. Preventive Services Task Force
139. ACOG-SMFM Placenta Accreta Spectrum 2018	69%	39%	49%	81%	40%	58%	BASSA	U.S. Preventive Services Task Force
140. SIGO, AOGOI, AGUI gestione del parto pretermine	100%	47%	45%	100%	17%	38%	BASSA	Canadian Task Force on Preventive Health Care (2014)

Qualità complessiva di una Linea Guida (adattato da: Johnston A, Kelly SE, Hsieh SC, Skidmore B, Wells GA. Systematic reviews of clinical practice guidelines:

a methodological guide. *Journal of Clinical Epidemiology* 2019;108:64-76)

Qualità ALTA: >=60% in almeno 3 domini AGREE II, incluso il dominio 3.

Qualità MODERATA: >=60% in almeno 3 domini eccetto il dominio 3

Qualità BASSA: <60% in due o più domini e <50% nel dominio 3.

141. RANZCOG Prenatal-assessment-of-fetal-structural-conditions 2018	100%	89%	81%	92%	38%	96%	ALTA	GRADE Australia NHMRC
142. FIGO fetal growth best practice advice screening diagnosis management fetal growth restriction 2021	94%	67%	50%	97%	42%	100%	MODERATA	GRADE
143. RCOG Diagnosis and Management of Ectopic Pregnancy Green-top Guideline No. 21 2016	94%	58%	82%	92%	44%	92%	ALTA	RCOG-SIGN
144. ACR Appropriateness Criteria assessment of gravid cervix 2020	89%	56%	66%	94%	33%	67%	ALTA	ACR
145. ACOG prediction and prevention of preterm birth 2012	78%	31%	40%	100%	25%	75%	BASSA	U.S. Preventive Services Task Force
146. RANZCOG Management-of-breech-presentation-at-term 2016	100%	94%	82%	94%	33%	96%	ALTA	Australia NHMRC
147. SNLG Gravidanza fisiologica 2014	100%	94%	95%	92%	73%	100%	ALTA	GRADE
148. ACR Secondand Third Trimester Screening for Fetal Anomaly 2021	81%	44%	56%	92%	38%	67%	MODERATA	ACR
153. ISUOG Practice Guidelines role of ultrasound in congenital infection 2020	89%	67%	66%	72%	42%	75%	ALTA	ISUOG
157. SMFM #52 Diagnosis and management of fetal growth restriction 2020	100%	69%	56%	100%	52%	100%	MODERATA	GRADE
A. FOGSI Abnormal uterine bleeding in reproductive period 2016	97%	58%	29%	69%	33%	54%	BASSA	FOGSI
G. RCOG chronic pelvic pain 2012	97%	61%	82%	86%	63%	100%	ALTA	RCOG-SIGN
ZC. SOGC 164-Consensus Guidelines for the management of chronic pelvic pain 2018	100%	67%	79%	94%	44%	100%	ALTA	Canadian Task Force on Preventive Health Care
ZD. SOGC Guideline No. 404 Initial Investigation Management Benign Ovarian Masses 2020	100%	61%	79%	94%	38%	100%	ALTA	GRADE
ZE. GOC-SOGC Guideline No. 403 Initial Investigation andManagement of Adnexal Masses 2020	100%	61%	79%	100%	38%	100%	ALTA	GRADE
ZF. FRANCOGYN, CNGOF, SFOG GINECO-ARCAGY. Management of epithelial cancer of the ovary, fallopian tube, and primary peritoneum. Part 1, 2019	100%	81%	49%	89%	33%	100%	BASSA	Non chiaro

**Qualità complessiva di una Linea Guida** (adattato da: Johnston A, Kelly SE, Hsieh SC, Skidmore B, Wells GA. Systematic reviews of clinical practice guidelines: a methodological guide. *Journal of Clinical Epidemiology* 2019;108:64-76)

**Qualità ALTA:** >=60% in almeno 3 domini AGREE II, incluso il dominio 3.

**Qualità MODERATA:** >=60% in almeno 3 domini eccetto il dominio 3

**Qualità BASSA:** <60% in due o più domini e <50% nel dominio 3.

ZH. CNGOF-HAS Epidemiology and diagnosis strategy. CNGOF-HAS Endometriosis Guidelines 2018								Non è una linea guida
ZI. CNGOF-HAS Performances place echographie diagnostic endometriose 2018	100%	42%	57%	69%	42%	100%	MODERATA	HAS (2013)
ZL. CNGOF_HAS pelvic endometriosis- Endometriosis Guidelines 2018	92%	42%	57%	69%	42%	100%	MODERATA	Oxford CEBM Levels of Evidence (2011)
ZM. SOGC No. 230-Pelvic_Ovarian Masses Initial Evaluation Guidelines 2018	100%	67%	85%	100%	44%	100%	ALTA	Canadian Task Force on Preventive Health Care
ZS. Management side effects under HRT menopausal women uterine bleeding. CNGOF-GEMVi 2021	92%	44%	47%	67%	42%	100%	MODERATA	Oxford CEBM Levels of Evidence (2011)
ZU. HAS Borderline ovarian tumors French national college 2021	100%	72%	73%	78%	42%	100%	ALTA	HAS (2020)
HAS CNGOFh - the SPILFi Pelvic inflammatory diseases. Updated French guidelines 2020	100%	75%	69%	89%	42%	67%	ALTA	HAS (2020)

0-59%	60%-100%
-------	----------

Arrotondamento % < - > 0.5 %

#### Guideline Quality Assessment (Johnston 2019)

The AGREE II tool was used to assess the quality of included CPGs. Each domain assessed a score  $\geq 60\%$  was considered effectively addressed.

CPGs were considered "high quality" if they scored  $\geq 60\%$  in at least three of six AGREE II domains, including Domain 3.

If three domains or more were assessed a score of  $\geq 60\%$ , except Domain 3, they were considered to be of "moderate" overall quality.

"Low-quality" CPGs scored  $< 60\%$  in two or more domains and scored  $< 50\%$  in Domain 3.

**Qualità complessiva di una Linea Guida** (adattato da: Johnston A, Kelly SE, Hsieh SC, Skidmore B, Wells GA. Systematic reviews of clinical practice guidelines: a methodological guide. *Journal of Clinical Epidemiology* 2019;108:64-76)

**Qualità ALTA:**  $\geq 60\%$  in almeno 3 domini AGREE II, incluso il dominio 3.

**Qualità MODERATA:**  $\geq 60\%$  in almeno 3 domini eccetto il dominio 3

**Qualità BASSA:**  $< 60\%$  in due o più domini e  $< 50\%$  nel dominio 3.